

Programmatic Environmental Impact Statement (PEIS)

for

Ballast Water Discharge Standards

258 399

PUBLIC SCOPING MEETING

COMMENT SHEET

USCG-2001-10486-46

Please provide your comments below (If you need additional space, please use a second comment sheet or attach an 8½x11" piece of paper).

*****Comments must be received by December 26, 2003*****

Prefer Alternative 2 with 100 or 10 individual/metric ton.

Prefer Alternative 2 with 50 micron cut-off. Also,

"indicator species" provisions may be an emotional element to this since human pathogens tend to be found everywhere in the world. Prefer that item be eliminated.

DEPT. OF TRANSPORTATION
DOCKETS
2001 NOV - 3 PM 3:41

Thank you for your comments.

Please provide the following information:	
Name:	Peter Meszely
Organization:	NET Treatment Systems, Inc.
Address:	800 S. Green Ave. P.O. Box 10000, Raleigh, NC 27602
Telephone Number:	800-493-2251
Would you like to be contacted?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Would you like to receive a copy of the Draft PEIS?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

Completed public scoping comment sheets and/or additional comments may be returned at the end of the Public Scoping Meeting or submitted to the following:

By mail: Docket Management Facility (USCG-2001-10486), U.S. Department of Transportation, Room PL-401, 400 Seventh Street, SW., Washington, DC 20590-0001

By delivery: Room PL-401 on the Plaza level of the Nassif Building, 400 Seventh Street SW, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The telephone number is 202-366-9329.

By fax: Docket Management Facility at 202-493-2251

Electronically: Visit the Web site for the Docket Management System at <http://dms.dot.gov>. To comment, click on Comments/Submissions and sign-in as either a Registered or Non-Registered User. Comments may be typed on line or submitted as an attached file.

Ballast Water Information

Hotline: 202-267-2716